

VP9950MI



Features:

- 1/3" Pixim DPS image sensor (Digital Pixel System)
- DPS Digital Processing Technology
- 540 TV Lines
- 0.5Lux / F1.2 (color mode); 0.08Lux/F1.2 (Slow Shutter mode)
- Built-in Fixed Board Lens, f = 2.8, 3.6, 6, 8mm Optional
- Against Dismantle Function
- 3-Axis Rotation.
- DC12V

Specifications:

Signal System	PAL / NTSC Color system
Image Sensor	1/3" Pixim DPS image sensor (Digital Pixel System)
Effective Pixels	720(H) x 540(V)
Resolution	540 TVLines
Gamma Correction	0.45
White Balance	Auto 2000 to 11000K
Lens	Built-in Fixed Board Lens, f = 2.8, 3.6, 6, 8mm Optional
Min. Illumination	Color Mode: 0.5Lux / F1.2; Slow Shutter Mode:0.08Lux / F1.2
S/N Ration	More than 50dB
Dynamic range	101 dB Typical, Max 120dB
Sync Mode	INT
Video Output	1.0Vp-p, 75 Ohm
Working Temperature	-10°C ~ 50°C(14°F ~ 122°F) RH95% Max
Power Input	DC12V (±10%)
Power Consumption	130 mA. Max
Dimension	92.5 x 63
Weight	430g